

SCT4170 Nat'vocado Lightweight Full Cover Foundation

Nature Never Felt So Good!

Botanical Avocado Lipid surface treatment is the key to this lightweight, all-natural high-coverage liquid foundation. The combination of Covaf fluid AMD, Sensibead SI 175, and Sericite 300 S adds creaminess and soft focus to the formulation.



	Commercial name	Supplier	INCI name	% W/W
PHASE A	Unipure White LC987 BA	(1)	CI 77891 (and) Persea gratissima (Avocado) oil (and) Hydrogenated Avocado oil	21.35
	Unipure Yellow LC182 BA	(1)	CI 77492 (and) Persea gratissima (Avocado) oil (and) Hydrogenated Avocado oil	2.60
	Unipure Red LC381 BA	(1)	CI 77491 (and) Persea gratissima (Avocado) oil (and) Hydrogenated Avocado oil	0.85
	Unipure Black LC989 BA	(1)	CI 77499 (and) Persea gratissima (Avocado) oil (and) Hydrogenated Avocado oil	0.20
	Lipex SheaLight	(2)	Shea Butter Ethyl Esters	6.60
PHASE B	Imwitor 600	(3)	Polyglyceryl-3 Polyricinoleate	1.00
	Imwitor PG3 DIS	(3)	Polyglyceryl-3 Diisostearate	3.00
	Cetiol C5	(4)	Coco-Caprylate	5.00
	Floramac 10	(5)	Ethyl Macadamiate	3.00
	Neossance Squalane	(6)	Squalane	2.00
PHASE C	Aqua/water		Aqua/water	41.55
	Zemea® Propanediol	(7)	Propanediol	5.00
	Glycerin		Glycerin	1.50
	Euxyl® PE9010	(8)	Phenoxyethanol (and) Ethylhexylglycerin	0.70
PHASE D	Covaf fluid AMD	(1)	Aluminum Starch Octenylsuccinate	2.00
	Sensibead SI 175	(1)	Silica	1.50
	Sericite 300 S	(1)	Mica	2.00
	Watery Camelia 549984781	(9)	Fragrance	0.15

(1) Sensient Cosmetic Technologies
(6) Aprinnova

(2) AAK
(7) DuPont Tate & Lyle Bio

(3) IOI Oleo GmbH

(4) BASF
(8) Schulke

(5) Floratech
(9) Sensient Fragrance

MANUFACTURING PROCEDURE (100g)

1. Prepare Phase A: make a paste with pigments and Lipex SheaLight. Grind mixture with three-roll mill 3 times.
2. Add ingredients of Phase B and pigment grind of Phase A. Start mixing with propeller mixing at 300rpm. Mix until uniform.
3. Premix Phase C and then add it to Phase B/A slowly. Mix until uniform at 1,600rpm.
4. Add pigments of Phase D, one by one and mix well between each addition.
5. Mix well until uniform for 5min at 2,000rpm.

Creation: 02/21/2019 (SB-22-129)

France
contact@sensient-cosmetics.com
Tel. 33(0)1 34 48 57 00

USA
cosmeticsales@sensient-tech.com
Tel : 908 757 4500

Brasil
Tel : 55 11 31 61 3799

China
contactchina@sensient-cosmetics.com
Tel : 86 21 3453 7676

Japan
Tel: 81 3 6400 3270

www.sensient-cosmetics.com

Exclusion of Guarantee: This formula is offered by Sensient to its clients for information and guidance only. Sensient only assumes responsibility for its own raw materials, the development and use of the formula mentioned herein remaining the exclusive responsibility of the client. In particular, it remains the responsibility of the client to check stability of the formula offered by to make certain of its safety and to control its conformity with the legislation and patents existing in the country in which the finished product will be used. Sensient declines to hold any responsibility for any of the above items.